APPENDIX B

## **RATING SUMMARY – Western Washington**

Name of wetland (or ID #):Wetlands A-H and J-ODate of site visit:June 29, 2017Rated by:Joanne BartlettTrained by Ecology?YesNo Date of training:11/2014HGM Class used for rating:DepressionalWetland has multiple HGM classes?YXN

**NOTE**: Form is not complete without the figures requested (figures can be combined). Source of base aerial photo/map: <u>Google Earth</u>

#### **OVERALL WETLAND CATEGORY:** <u>IV</u> (based on functions <u>X</u> or special characteristics )

#### 1. Category of wetland based on FUNCTIONS

- Category I Total score = 23 27
- Category II Total score = 20 22
- **Category III** Total score = 16 19
- **X** Category IV Total score = 9 15

FUNCTION	Improving Water Quality				Habitat					
					Circle	the ap	propr	riate ro	atings	
Site Potential	Н	M	L	Н	M	L	Н	Μ		
Landscape Potential	Н	$\mathbb{M}$	L	Н	$\bigcirc$	L	Н	Μ	$\bigcirc$	
Value	$\Theta$	М	L	Н	Μ	0	Н	Μ	$\bigcirc$	TOTAL
Score Based on Ratings		7			5			3		15

Score for each function based on three ratings (order of ratings is not important)

9 = H,H,H 8 = H,H,M 7 = H,H,L 7 = H,M,M 6 = H,M,L 6 = M,M,M 5 = H,L,L 5 = M,M,L 4 = M,L,L 3 = L,L,L

#### 2. Category based on SPECIAL CHARACTERISTICS of wetland

CHARACTERISTIC	CATEGORY	
Estuarine	I II	
Wetland of High Conservation Value	I	
Bog	I	
Mature Forest	I	
Old Growth Forest	I	
Coastal Lagoon	Ι	II
Interdunal	I II	III IV
None of the above	Х	

# Maps and figures required to answer questions correctly for Western Washington

#### **Depressional Wetlands**

Map of:	To answer questions:	Figure #
Cowardin plant classes	D 1.3, H 1.1, H 1.4	2, 5
Hydroperiods	D 1.4, H 1.2	2, 5
Location of outlet (can be added to map of hydroperiods)	D 1.1, D 4.1	2, 5
Boundary of area within 150 ft of the wetland (can be added to another figure)	D 2.2, D 5.2	5
Map of the contributing basin	D 4.3, D 5.3	6
1 km Polygon: Area that extends 1 km from entire wetland edge - including	H 2.1, H 2.2, H 2.3	6
polygons for accessible habitat and undisturbed habitat		
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	D 3.1, D 3.2	7
Screen capture of list of TMDLs for WRIA in which unit is found (from web)	D 3.3	7

#### **Riverine Wetlands**

Map of:	To answer questions:	Figure #
Cowardin plant classes	H 1.1, H 1.4	
Hydroperiods	H 1.2	
Ponded depressions	R 1.1	
Boundary of area within 150 ft of the wetland (can be added to another figure)	R 2.4	
Plant cover of trees, shrubs, and herbaceous plants	R 1.2, R 4.2	
Width of unit vs. width of stream (can be added to another figure)	R 4.1	
Map of the contributing basin	R 2.2, R 2.3, R 5.2	
1 km Polygon: Area that extends 1 km from entire wetland edge - including polygons for accessible habitat and undisturbed habitat	H 2.1, H 2.2, H 2.3	
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	R 3.1	
Screen capture of list of TMDLs for WRIA in which unit is found (from web)	R 3.2, R 3.3	

#### Lake Fringe Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes	L 1.1, L 4.1, H 1.1, H 1.4	
Plant cover of trees, shrubs, and herbaceous plants	L 1.2	
Boundary of area within 150 ft of the wetland (can be added to another figure)	L 2.2	
1 km Polygon: Area that extends 1 km from entire wetland edge - including	H 2.1, H 2.2, H 2.3	
polygons for accessible habitat and undisturbed habitat		
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	L 3.1, L 3.2	
Screen capture of list of TMDLs for WRIA in which unit is found (from web)	L 3.3	

#### Slope Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes	H 1.1, H 1.4	
Hydroperiods	H 1.2	
Plant cover of <b>dense</b> trees, shrubs, and herbaceous plants	S 1.3	
Plant cover of <b>dense, rigid</b> trees, shrubs, and herbaceous plants	S 4.1	
(can be added to figure above)		
Boundary of 150 ft buffer (can be added to another figure)	S 2.1, S 5.1	
1 km Polygon: Area that extends 1 km from entire wetland edge - including	H 2.1, H 2.2, H 2.3	
polygons for accessible habitat and undisturbed habitat		
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	S 3.1, S 3.2	
Screen capture of list of TMDLs for WRIA in which unit is found (from web)	S 3.3	

## **HGM Classification of Wetlands in Western Washington**

For questions 1-7, the criteria described must apply to the entire unit being rated.

If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in questions 1-7 apply, and go to Question 8.

1. Are the water levels in the entire unit usually controlled by tides except during floods?

**YES** – the wetland class is **Tidal Fringe** – go to 1.1

1.1 Is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)?

**NO – Saltwater Tidal Fringe (Estuarine)** *If your wetland can be classified as a Freshwater Tidal Fringe use the forms for Riverine wetlands. If it is Saltwater Tidal Fringe it is an* **Estuarine** wetland and is not scored. This method **cannot** be used to score functions for estuarine wetlands.

2. The entire wetland unit is flat and precipitation is the only source (>90%) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit.

**W** – go to 3 **YES** – The wetland class is **Flats** *If your wetland can be classified as a Flats wetland, use the form for* **Depressional** *wetlands.* 

Does the entire wetland unit meet all of the following criteria?
 \_\_The vegetated part of the wetland is on the shores of a body of permanent open water (without any plants on the surface at any time of the year) at least 20 ac (8 ha) in size;
 \_\_At least 30% of the open water area is deeper than 6.6 ft (2 m).

**O** – go to 4

**YES –** The wetland class is **Lake Fringe** (Lacustrine Fringe)

4. Does the entire wetland unit **meet all** of the following criteria?

\_\_\_\_\_The wetland is on a slope (*slope can be very gradual*),

\_\_\_\_\_The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks,

\_The water leaves the wetland **without being impounded**.

#### **10**- go to 5

**YES –** The wetland class is **Slope** 

**NOTE**: Surface water does not pond in these type of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3 ft diameter and less than 1 ft deep).

- 5. Does the entire wetland unit **meet all** of the following criteria?
  - \_\_\_\_The unit is in a valley, or stream channel, where it gets inundated by overbank flooding from that stream or river,
    - \_The overbank flooding occurs at least once every 2 years.

**YES** – The wetland class is **Riverine NOTE**: The Riverine unit can contain depressions that are filled with water when the river is not flooding

6. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year? *This means that any outlet, if present, is higher than the interior of the wetland.* 

NO – go to 7

(E) – The wetland class is Depressional

7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank flooding? The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched, but has no obvious natural outlet.

NO – go to 8

YES – The wetland class is Depressional

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a Depressional wetland has a zone of flooding along its sides. GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within the wetland unit being scored.

**NOTE**: Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the HGM class listed in column 2 is less than 10% of the unit; classify the wetland using the class that represents more than 90% of the total area.

HGM classes within the wetland unit	HGM class to
being rated	use in rating
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake Fringe	Lake Fringe
Depressional + Riverine along stream	Depressional
within boundary of depression	
Depressional + Lake Fringe	Depressional
Riverine + Lake Fringe	Riverine
Salt Water Tidal Fringe and any other	Treat as
class of freshwater wetland	ESTUARINE

If you are still unable to determine which of the above criteria apply to your wetland, or if you have **more than 2 HGM classes** within a wetland boundary, classify the wetland as Depressional for the rating.

DEPRESSIONAL AND FLATS WETLANDS	
Water Quality Functions - Indicators that the site functions to improve water quality	
D 1.0. Does the site have the potential to improve water quality?	
D 1.1. Characteristics of surface water outflows from the wetland:	
Wetland is a depression or flat depression (QUESTION 7 on key) with no surface water leaving it (no outlet). points = 3 Wetland has an intermittently flowing stream or ditch, OR highly constricted permanently flowing outlet.	3
points = 2 Wetland has an unconstricted, or slightly constricted, surface outlet that is permanently flowing points = 1 Wetland is a flat depression (QUESTION 7 on key), whose outlet is a permanently flowing ditch. points = 1	
D 1.2. The soil 2 in below the surface (or duff layer) is true clay or true organic (use NRCS definitions). Yes = 4 No = 0	0
D 1.3. Characteristics and distribution of persistent plants (Emergent, Scrub-shrub, and/or Forested Cowardin classes):         Wetland has persistent, ungrazed, plants > 95% of area       points = 5         Wetland has persistent, ungrazed, plants > ½ of area       points = 3         Wetland has persistent, ungrazed plants > 1/10 of area       points = 1         Wetland has persistent, ungrazed plants < 1/10 of area	0*
D 1.4. Characteristics of seasonal ponding or inundation:         This is the area that is ponded for at least 2 months. See description in manual.         Area seasonally ponded is > ½ total area of wetland         Area seasonally ponded is > ½ total area of wetland         Points = 4         Area seasonally ponded is > ¼ total area of wetland         Points = 2         Area seasonally ponded is < ¼ total area of wetland	4
Total for D 1 Add the points in the boxes above	7
Rating of Site Potential If score is: 12-16 = H X 6-11 = M 0-5 = L Record the rating on the first	page
D 2.0. Does the landscape have the potential to support the water quality function of the site?	
D 2.1. Does the wetland unit receive stormwater discharges? Yes = 1 No = 0	1
D 2.2. Is > 10% of the area within 150 ft of the wetland in land uses that generate pollutants? Yes = 1 No = 0	1
D 2.3. Are there septic systems within 250 ft of the wetland? Yes = 1 No = 0	0
D 2.4. Are there other sources of pollutants coming into the wetland that are not listed in questions D 2.1-D 2.3? Source Yes = 1 No = 0	0
Total for D 2 Add the points in the boxes above	2
<b>Rating of Landscape Potential</b> If score is: <b>3 or 4 = H X 1 or 2 = M 0 = L</b> <i>Record the rating on the</i>	first page
D 3.0. Is the water quality improvement provided by the site valuable to society?	
D 3.1. Does the wetland discharge directly (i.e., within 1 mi) to a stream, river, lake, or marine water that is on the 303(d) list? Yes = 1 No = 0	0
	0
D 3.2. Is the wetland in a basin or sub-basin where an aquatic resource is on the 303(d) list? Yes = 1 No = 0	
D 3.2. Is the wetland in a basin or sub-basin where an aquatic resource is on the 303(d) list?       Yes = 1       No = 0         D 3.3. Has the site been identified in a watershed or local plan as important for maintaining water quality (answer YES if there is a TMDL for the basin in which the unit is found)?       Yes = 2       No = 0	2

\*Wetlands A-H and J-O are part of a regularly mowed field so do not have any ungrazed/unmowed vegetation.

DEPRESSIONAL AND FLATS WETLANDS				
Hydrologic Functions - Indicators that the site functions to reduce flooding and strea	im degradation			
D 4.0. Does the site have the potential to reduce flooding and erosion?				
D 4.1. Characteristics of surface water outflows from the wetland:	4			
Wetland is a depression or flat depression with no surface water leaving it (no outlet) Wetland has an intermittently flowing stream or ditch, OR highly constricted permanently flowing ou Wetland is a flat depression (QUESTION 7 on key), whose outlet is a permanently flowing ditch Wetland has an unconstricted, or slightly constricted, surface outlet that is permanently flowing	points = 4 tletpoints = 2 points = 1 points = 0			
D 4.2. <u>Depth of storage during wet periods:</u> Estimate the height of ponding above the bottom of the outlet. I with no outlet, measure from the surface of permanent water or if dry, the deepest part.	For wetlands 0			
	pints = 7			
	pints = 5			
	pints = 3			
	oints = 3			
Wetland is flat but has small depressions on the surface that trap water provide the surface the surfa	pints = 1			
Marks of ponding less than 0.5 ft (6 in) p	oints = 0			
D 4.3. <u>Contribution of the wetland to storage in the watershed</u> : <i>Estimate the ratio of the area of upstream b</i> contributing surface water to the wetland to the area of the wetland unit itself.	asin 3			
The area of the basin is less than 10 times the area of the unit	oints = 5			
	pints = 3			
	oints = 0			
Entire wetland is in the Flats class p	oints = 5			
Total for D 4Add the points in the boxe				
Rating of Site Potential If score is:       12-16 = H       X       6-11 = M       0-5 = L       Record the second the sec	e rating on the first page			
D 5.0. Does the landscape have the potential to support hydrologic functions of the site?				
D 5.1. Does the wetland receive stormwater discharges? Yes = 1	No = 0 1			
D 5.2. Is >10% of the area within 150 ft of the wetland in land uses that generate excess runoff? Yes = 1	No = 0 1			
D 5.3. Is more than 25% of the contributing basin of the wetland covered with intensive human land uses (residence/ac, urban, commercial, agriculture, etc.)? Yes = 1	No = 0			
Total for D 5Add the points in the boxe	es above 2			
Rating of Landscape Potential       If score is:3 = HX1 or 2 = M0 = L       Record to the score is:3 = HX1 or 2 = M0 = L	he rating on the first page			
D 6.0. Are the hydrologic functions provided by the site valuable to society?				
D 6.1. <u>The unit is in a landscape that has flooding problems</u> . Choose the description that best matches condition the wetland unit being rated. Do not add points. <u>Choose the highest score if more than one condition</u> The wetland captures surface water that would otherwise flow down-gradient into areas where flood damaged human or natural resources (e.g., houses or salmon redds):	<u>is met</u> . ling has			
	pints = 2			
	pints = 1			
Flooding from groundwater is an issue in the sub-basin. p	oints = 1			
The existing or potential outflow from the wetland is so constrained by human or natural conditions t water stored by the wetland cannot reach areas that flood. <i>Explain why</i> <b>p</b>	hat the <b>pints = 0</b>			
There are no problems with flooding downstream of the wetland.	pints = 0			
D 6.2. Has the site been identified as important for flood storage or flood conveyance in a regional flood cor Yes = 2	ntrol plan? 0			
Total for D 6 Add the points in the boxe				
	he rating on the first page			

These questions apply to we	
HABITAT FUNCTIONS - Indicators that site functions to1 1.0. Does the site have the potential to provide habitat?	provide important habitat
1 1.1. Structure of plant community: Indicators are Cowardin classes	
Cowardin plant classes in the wetland. Up to 10 patches may of ¼ ac or more than 10% of the unit if it is smaller than 2.5 ac	
Aquatic bed	4 structures or more: points = 4
<u> </u>	3 structures: points = 2
Scrub-shrub (areas where shrubs have > 30% cover)	2 structures: points = 1
Forested (areas where trees have > 30% cover)	1 structure: points = 0
If the unit has a Forested class, check if:	
The Forested class has 3 out of 5 strata (canopy, sub-can that each cover 20% within the Forested polygon	opy, shrubs, herbaceous, moss/ground-cover)
1.2. Hydroperiods	0
Check the types of water regimes (hydroperiods) present with more than 10% of the wetland or ¼ ac to count ( <i>see text for d</i>	
Permanently flooded or inundated	4 or more types present: points = 3
<u>X</u> Seasonally flooded or inundated	3 types present: points = 2
Occasionally flooded or inundated	2 types present: points = 1
Saturated only	1 type present: points = 0
Permanently flowing stream or river in, or adjacent to, the	
Seasonally flowing stream in, or adjacent to, the wetland	
Lake Fringe wetland	2 points
Freshwater tidal wetland	2 points
1.3. Richness of plant species	1
Count the number of plant species in the wetland that cover a	at least 10 ft <sup>2</sup> .
Different patches of the same species can be combined to me the species. <b>Do not include Eurasian milfoil, reed canarygro</b>	
If you counted: > 19 species	points = 2
5 - 19 species	points = 1
< 5 species	points = 0
1.4. Interspersion of habitats Decide from the diagrams below whether interspersion amou the classes and unvegetated areas (can include open water o have four or more plant classes or three classes and open wat	r mudflats) is high, moderate, low, or none. <i>If you</i>
None = 0 points Low = 1 point	Moderate = 2 points
All three diagrams n this row are <b>HIGH</b> = 3points	

1.5. Special habitat features:		0
Check the habitat features that are present in the wetland. The number of checks is the	ne number of points.	
Large, downed, woody debris within the wetland (> 4 in diameter and 6 ft long).		
Standing snags (dbh > 4 in) within the wetland		
Undercut banks are present for at least 6.6 ft (2 m) <b>and/or</b> overhanging plants ex	tends at least 3.3 ft (1 m)	
over a stream (or ditch) in, or contiguous with the wetland, for at least 33 ft (10 r		
Stable steep banks of fine material that might be used by beaver or muskrat for o		
slope) OR signs of recent beaver activity are present (cut shrubs or trees that ha	ve not yet weathered	
where wood is exposed)		
At least ¼ ac of thin-stemmed persistent plants or woody branches are present in	areas that are	
permanently or seasonally inundated (structures for egg-laying by amphibians)		
Invasive plants cover less than 25% of the wetland area in every stratum of plant	s (see H 1.1 for list of	
strata)		
otal for H 1 Add the p	oints in the boxes above	1
Rating of Site Potential If score is:15-18 = H7-14 = MX0-6 = L	Record the rating on	the first po
1 2.0. Does the landscape have the potential to support the habitat functions of the	e site?	
12.1. Accessible habitat (include only habitat that directly abuts wetland unit).		0
Calculate: % undisturbed habitat <u>2.1</u> + [(% moderate and low intensity lan	id uses)/2] <u>3.35</u> = <u>5.5</u> %	
If total accessible habitat is:		
> <sup>1</sup> / <sub>3</sub> (33.3%) of 1 km Polygon	points = 3	
20-33% of 1 km Polygon	points = 2	
10-19% of 1 km Polygon	points = 1	
< 10% of 1 km Polygon	points = 0	
I 2.2. Undisturbed habitat in 1 km Polygon around the wetland.		1
Calculate: % undisturbed habitat <u>31.5</u> + [(% moderate and low intensity land	uses)/2] <u>3.35</u> = <u>34.9%</u>	
Undisturbed habitat > 50% of Polygon	points = 3	
Undisturbed habitat 10-50% and in 1-3 patches	points = 2	
Undisturbed habitat 10-50% and > 3 patches	points = 1	
Undisturbed habitat < 10% of 1 km Polygon	points = 0	
I 2.3. Land use intensity in 1 km Polygon: If		-2
> 50% of 1 km Polygon is high intensity land use	points = (- 2)	
≤ 50% of 1 km Polygon is high intensity	points = 0	
Total for H 2Add the p	oints in the boxes above	-1
Rating of Landscape Potential If score is:4-6 = H1-3 = MX< 1 = L	Record the rating on	the first pa
1 3.0. Is the habitat provided by the site valuable to society?		
H 3.1. Does the site provide habitat for species valued in laws, regulations, or policies? <i>Choo</i>	se only the highest score	

- Site meets ANY of the following criteria:
- It has 3 or more priority habitats within 100 m (see next page)
- It provides habitat for Threatened or Endangered species (any plant or animal on the state or federal lists)
- It is mapped as a location for an individual WDFW priority species
- It is a Wetland of High Conservation Value as determined by the Department of Natural Resources
- It has been categorized as an important habitat site in a local or regional comprehensive plan, in a
  - Shoreline Master Plan, or in a watershed plan
- Site has 1 or 2 priority habitats (listed on next page) within 100  $\mbox{m}$

#### Site does not meet any of the criteria above

Rating of Value If score is: 2 = H 1 = M X 0 = L

points = 2

points = 1

points = 1points = 0

Record the rating on the first page

### **WDFW Priority Habitats**

<u>Priority habitats listed by WDFW</u> (see complete descriptions of WDFW priority habitats, and the counties in which they can be found, in: Washington Department of Fish and Wildlife. 2008. Priority Habitat and Species List. Olympia, Washington. 177 pp. <u>http://wdfw.wa.gov/publications/00165/wdfw00165.pdf</u> or access the list from here: <u>http://wdfw.wa.gov/conservation/phs/list/</u>)

Count how many of the following priority habitats are within 330 ft (100 m) of the wetland unit: **NOTE:** This question is independent of the land use between the wetland unit and the priority habitat.

- Aspen Stands: Pure or mixed stands of aspen greater than 1 ac (0.4 ha).
- **Biodiversity Areas and Corridors**: Areas of habitat that are relatively important to various species of native fish and wildlife (*full descriptions in WDFW PHS report*).
- Herbaceous Balds: Variable size patches of grass and forbs on shallow soils over bedrock.
- Old-growth/Mature forests: <u>Old-growth west of Cascade crest</u> Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 8 trees/ac (20 trees/ha) > 32 in (81 cm) dbh or > 200 years of age. <u>Mature forests</u> Stands with average diameters exceeding 21 in (53 cm) dbh; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80-200 years old west of the Cascade crest.
- Oregon White Oak: Woodland stands of pure oak or oak/conifer associations where canopy coverage of the oak component is important (*full descriptions in WDFW PHS report p. 158 see web link above*).
- **Riparian**: The area adjacent to aquatic systems with flowing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other.
- Westside Prairies: Herbaceous, non-forested plant communities that can either take the form of a dry prairie or a wet prairie (*full descriptions in WDFW PHS report p. 161 see web link above*).
- **Instream:** The combination of physical, biological, and chemical processes and conditions that interact to provide functional life history requirements for instream fish and wildlife resources.
- Nearshore: Relatively undisturbed nearshore habitats. These include Coastal Nearshore, Open Coast Nearshore, and Puget Sound Nearshore. (*full descriptions of habitats and the definition of relatively undisturbed are in WDFW report – see web link on previous page*).
- **Caves:** A naturally occurring cavity, recess, void, or system of interconnected passages under the earth in soils, rock, ice, or other geological formations and is large enough to contain a human.
- **Cliffs:** Greater than 25 ft (7.6 m) high and occurring below 5000 ft elevation.
- Talus: Homogenous areas of rock rubble ranging in average size 0.5 6.5 ft (0.15 2.0 m), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs.
- Snags and Logs: Trees are considered snags if they are dead or dying and exhibit sufficient decay characteristics to enable cavity excavation/use by wildlife. Priority snags have a diameter at breast height of > 20 in (51 cm) in western Washington and are > 6.5 ft (2 m) in height. Priority logs are > 12 in (30 cm) in diameter at the largest end, and > 20 ft (6 m) long.

**Note:** All vegetated wetlands are by definition a priority habitat but are not included in this list because they are addressed elsewhere.

#### **CATEGORIZATION BASED ON SPECIAL CHARACTERISTICS**

Wetland Type	Category
Check off any criteria that apply to the wetland. Circle the category when the appropriate criteria are met.	
SC 1.0. Estuarine wetlands	
Does the wetland meet the following criteria for Estuarine wetlands?	
— The dominant water regime is tidal,	
<ul> <li>With a salinity greater than 0.5 ppt</li> <li>Yes –Go to SC 1.1</li> <li>Not an estuarine wetland</li> </ul>	
<b>)</b>	
SC 1.1. Is the wetland within a National Wildlife Refuge, National Park, National Estuary Reserve, Natural Area Preserve, State Park or Educational, Environmental, or Scientific Reserve designated under WAC 332-30-151?	
Yes = Category I No - Go to SC 1.2	Cat. I
SC 1.2. Is the wetland unit at least 1 ac in size and meets at least two of the following three conditions?	
— The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing, and has less	
than 10% cover of non-native plant species. (If non-native species are Spartina, see page 25)	Cat. I
— At least ¾ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-	
mowed grassland. — The wetland has at least two of the following features: tidal channels, depressions with open water, or	Cat. II
contiguous freshwater wetlands. Yes = <b>Category I</b> No = <b>Category I</b>	
<b>SC 2.0. Wetlands of High Conservation Value (WHCV)</b> SC 2.1. Has the WA Department of Natural Resources updated their website to include the list of Wetlands of High	
Conservation Value? Yes – Go to SC 2.2 No– Go to SC 2.3	Cat. I
SC 2.2. Is the wetland listed on the WDNR database as a Wetland of High Conservation Value?	
Yes = Category I No = Not a WHCV	
SC 2.3. Is the wetland in a Section/Township/Range that contains a Natural Heritage wetland? http://www1.dnr.wa.gov/nhp/refdesk/datasearch/wnhpwetlands.pdf	
Yes – Contact WNHP/WDNR and go to SC 2.4 (Ng = Not a WHCV	
SC 2.4. Has WDNR identified the wetland within the S/T/R as a Wetland of High Conservation Value and listed it on	
their website? Yes = Category I No = Not a WHCV	
SC 3.0. Bogs	
Does the wetland (or any part of the unit) meet both the criteria for soils and vegetation in bogs? Use the key below. If you answer YES you will still need to rate the wetland based on its functions.	
SC 3.1. Does an area within the wetland unit have organic soil horizons, either peats or mucks, that compose 16 in or	
more of the first 32 in of the soil profile? Yes – Go to SC 3.3 NO – Go to SC 3.2	
SC 3.2. Does an area within the wetland unit have organic soils, either peats or mucks, that are less than 16 in deep	
over bedrock, or an impermeable hardpan such as clay or volcanic ash, or that are floating on top of a lake or pond? Yes – Go to <b>SC 3.3 Ng = Is not a bog</b>	
pond? Yes – Go to <b>SC 3.3</b> (N) = <b>Is not a bog</b> SC 3.3. Does an area with peats or mucks have more than 70% cover of mosses at ground level, AND at least a 30%	
cover of plant species listed in Table 4? Yes = Is a Category I bog No – Go to SC 3.4	
NOTE: If you are uncertain about the extent of mosses in the understory, you may substitute that criterion by	
measuring the pH of the water that seeps into a hole dug at least 16 in deep. If the pH is less than 5.0 and the	Cat. I
plant species in Table 4 are present, the wetland is a bog. SC 3.4. Is an area with peats or mucks forested (> 30% cover) with Sitka spruce, subalpine fir, western red cedar,	
western hemlock, lodgepole pine, quaking aspen, Engelmann spruce, or western white pine, AND any of the	
species (or combination of species) listed in Table 4 provide more than 30% of the cover under the canopy?	
Yes = Is a Category I bog No = Is not a bog	

SC 4.0. Forested Wetlands	
Does the wetland have at least <u>1 contiguous acre</u> of forest that meets one of these criteria for the WA	
Department of Fish and Wildlife's forests as priority habitats? If you answer YES you will still need to rate	
the wetland based on its functions.	
— Old-growth forests (west of Cascade crest): Stands of at least two tree species, forming a multi-layered	
canopy with occasional small openings; with at least 8 trees/ac (20 trees/ha) that are at least 200 years of	
age OR have a diameter at breast height (dbh) of 32 in (81 cm) or more.	
— Mature forests (west of the Cascade Crest): Stands where the largest trees are 80-200 years old OR the	
species that make up the canopy have an average diameter (dbh) exceeding 21 in (53 cm).	
Yes = Category I Not a forested wetland for this section	Cat. I
SC 5.0. Wetlands in Coastal Lagoons	
Does the wetland meet all of the following criteria of a wetland in a coastal lagoon?	
— The wetland lies in a depression adjacent to marine waters that is wholly or partially separated from	
marine waters by sandbanks, gravel banks, shingle, or, less frequently, rocks	
— The lagoon in which the wetland is located contains ponded water that is saline or brackish (> 0.5 ppt)	
during most of the year in at least a portion of the lagoon (needs to be measured near the bottom)	Cat. I
Yes – Go to SC 5.1 Ves – Not a wetland in a coastal lagoon	
SC 5.1. Does the wetland meet all of the following three conditions?	
— The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing), and has less	Cat. II
than 20% cover of aggressive, opportunistic plant species (see list of species on p. 100).	Cat. II
— At least ¾ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un- mowed grassland.	
Yes = Category I No = Category II	
SC 6.0. Interdunal Wetlands	
Is the wetland west of the 1889 line (also called the Western Boundary of Upland Ownership or WBUO)? If	
you answer yes you will still need to rate the wetland based on its habitat functions.	
In practical terms that means the following geographic areas:	
<ul> <li>Long Beach Peninsula: Lands west of SR 103</li> <li>Crawland Westpart: Lands west of SR 105</li> </ul>	Cat I
<ul> <li>Grayland-Westport: Lands west of SR 105</li> <li>Ocean Shores-Copalis: Lands west of SR 115 and SR 109</li> </ul>	Cati
$\frac{113 \text{ and SK 113 and SK 103}}{\text{Yes} - \text{Go to SC 6.1}} = \text{not an interdunal wetland for rating}$	
SC 6.1. Is the wetland 1 ac or larger and scores an 8 or 9 for the habitat functions on the form (rates H,H,H or H,H,M	Cat. II
for the three aspects of function)? Yes = <b>Category I</b> No – Go to <b>SC 6.2</b>	
SC 6.2. Is the wetland 1 ac or larger, or is it in a mosaic of wetlands that is 1 ac or larger?	
Yes = Category II No – Go to SC 6.3	Cat. III
SC 6.3. Is the unit between 0.1 and 1 ac, or is it in a mosaic of wetlands that is between 0.1 and 1 ac?	
Yes = Category III No = Category IV	
	Cat. IV
Category of wetland based on Special Characteristics	Not
If you answered No for all types, enter "Not Applicable" on Summary Form	Applicable

Wetland name or number <u>A-H and J-O</u>

This page left blank intentionally

## **RATING SUMMARY – Western Washington**

 Name of wetland (or ID #):
 Wetland I
 Date of site visit: 7/15/17

 Rated by
 J. Bartlett
 Trained by Ecology?
 Yes
 No Date of training: 11/2014

 HGM Class used for rating:
 Depressional
 Wetland has multiple HGM classes?
 Y
 X
 N

**NOTE**: Form is not complete without the figures requested (figures can be combined). Source of base aerial photo/map <u>Google Earth</u>

#### **OVERALL WETLAND CATEGORY II** (based on functions <u>X</u> or special characteristics )

#### 1. Category of wetland based on FUNCTIONS

Category I – Total score = 23 – 27

X Category II – Total score = 20 – 22

**Category III** – Total score = 16 – 19

**Category IV** – Total score = 9 – 15

FUNCTION		mprov iter Qi	•	Ну	/drolo	gic		Habita	at	
				(	Circle t	the ap	oropi	riate ra	tings	
Site Potential	Н	M	L	Н		L	Н	Μ	$\bigcirc$	
Landscape Potential	$\Theta$	M	L	$\Theta$	M	L	Н	$\square$	L	
Value	$\Theta$	М	L	Ð	Μ	L	Н	$\square$	L	TOTAL
Score Based on Ratings		8			8			5		21

Score for each function based on three ratings (order of ratings is not important)

9 = H,H,H 8 = H,H,M 7 = H,H,L 7 = H,M,M 6 = H,M,L 6 = M,M,M 5 = H,L,L 5 = M,M,L 4 = M,L,L 3 = L,L,L

#### 2. Category based on SPECIAL CHARACTERISTICS of wetland

CHARACTERISTIC	CATE	GORY
Estuarine	Ι	II
Wetland of High Conservation Value		Ι
Bog		I
Mature Forest		I
Old Growth Forest		I
Coastal Lagoon	Ι	II
Interdunal	I II	III IV
None of the above		X

# Maps and figures required to answer questions correctly for Western Washington

#### Depressional Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes	D 1.3, H 1.1, H 1.4	5
Hydroperiods	D 1.4, H 1.2	5
Location of outlet (can be added to map of hydroperiods)	D 1.1, D 4.1	5
Boundary of area within 150 ft of the wetland (can be added to another figure)	D 2.2, D 5.2	5
Map of the contributing basin	D 4.3, D 5.3	6
1 km Polygon: Area that extends 1 km from entire wetland edge - including	H 2.1, H 2.2, H 2.3	6
polygons for accessible habitat and undisturbed habitat		
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	D 3.1, D 3.2	7
Screen capture of list of TMDLs for WRIA in which unit is found (from web)	D 3.3	7

#### Riverine Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes	H 1.1, H 1.4	
Hydroperiods	H 1.2	
Ponded depressions	R 1.1	
Boundary of area within 150 ft of the wetland (can be added to another figure)	R 2.4	
Plant cover of trees, shrubs, and herbaceous plants	R 1.2, R 4.2	
Width of unit vs. width of stream (can be added to another figure)	R 4.1	
Map of the contributing basin	R 2.2, R 2.3, R 5.2	
1 km Polygon: Area that extends 1 km from entire wetland edge - including polygons for accessible habitat and undisturbed habitat	H 2.1, H 2.2, H 2.3	
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	R 3.1	
Screen capture of list of TMDLs for WRIA in which unit is found (from web)	R 3.2, R 3.3	

#### Lake Fringe Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes	L 1.1, L 4.1, H 1.1, H 1.4	
Plant cover of trees, shrubs, and herbaceous plants	L 1.2	
Boundary of area within 150 ft of the wetland (can be added to another figure)	L 2.2	
1 km Polygon: Area that extends 1 km from entire wetland edge - including	H 2.1, H 2.2, H 2.3	
polygons for accessible habitat and undisturbed habitat		
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	L 3.1, L 3.2	
Screen capture of list of TMDLs for WRIA in which unit is found (from web)	L 3.3	

#### Slope Wetlands

Map of:	To answer questions:	Figure #
Cowardin plant classes	H 1.1, H 1.4	
Hydroperiods	H 1.2	
Plant cover of <b>dense</b> trees, shrubs, and herbaceous plants	S 1.3	
Plant cover of <b>dense, rigid</b> trees, shrubs, and herbaceous plants	S 4.1	
(can be added to figure above)		
Boundary of 150 ft buffer (can be added to another figure)	S 2.1, S 5.1	
1 km Polygon: Area that extends 1 km from entire wetland edge - including	H 2.1, H 2.2, H 2.3	
polygons for accessible habitat and undisturbed habitat		
Screen capture of map of 303(d) listed waters in basin (from Ecology website)	S 3.1, S 3.2	
Screen capture of list of TMDLs for WRIA in which unit is found (from web)	S 3.3	

## HGM Classification of Wetlands in Western Washington

For questions 1-7, the criteria described must apply to the entire unit being rated.

If the hydrologic criteria listed in each question do not apply to the entire unit being rated, you probably have a unit with multiple HGM classes. In this case, identify which hydrologic criteria in questions 1-7 apply, and go to Question 8.

1. Are the water levels in the entire unit usually controlled by tides except during floods?

**YES** – the wetland class is **Tidal Fringe** – go to 1.1

1.1 Is the salinity of the water during periods of annual low flow below 0.5 ppt (parts per thousand)?

**NO – Saltwater Tidal Fringe (Estuarine)** *If your wetland can be classified as a Freshwater Tidal Fringe use the forms for Riverine wetlands. If it is Saltwater Tidal Fringe it is an* **Estuarine** wetland and is not scored. This method **cannot** be used to score functions for estuarine wetlands.

2. The entire wetland unit is flat and precipitation is the only source (>90%) of water to it. Groundwater and surface water runoff are NOT sources of water to the unit.

**W** – go to 3 **YES** – The wetland class is **Flats** *If your wetland can be classified as a Flats wetland, use the form for* **Depressional** *wetlands.* 

Does the entire wetland unit meet all of the following criteria?
 \_\_The vegetated part of the wetland is on the shores of a body of permanent open water (without any plants on the surface at any time of the year) at least 20 ac (8 ha) in size;
 \_\_At least 30% of the open water area is deeper than 6.6 ft (2 m).

**O** – go to 4

YES – The wetland class is Lake Fringe (Lacustrine Fringe)

- 4. Does the entire wetland unit **meet all** of the following criteria?
  - \_\_\_\_\_The wetland is on a slope (*slope can be very gradual*),
  - \_\_\_\_The water flows through the wetland in one direction (unidirectional) and usually comes from seeps. It may flow subsurface, as sheetflow, or in a swale without distinct banks, \_\_\_\_The water leaves the wetland without being impounded.

**10**- go to 5

**YES –** The wetland class is **Slope** 

**NOTE**: Surface water does not pond in these type of wetlands except occasionally in very small and shallow depressions or behind hummocks (depressions are usually <3 ft diameter and less than 1 ft deep).

- 5. Does the entire wetland unit **meet all** of the following criteria?
  - \_\_\_\_\_The unit is in a valley, or stream channel, where it gets inundated by overbank flooding from that stream or river,
    - \_The overbank flooding occurs at least once every 2 years.

Wetland name or number <u>I</u>

**YES** – The wetland class is **Riverine NOTE**: The Riverine unit can contain depressions that are filled with water when the river is not flooding

6. Is the entire wetland unit in a topographic depression in which water ponds, or is saturated to the surface, at some time during the year? *This means that any outlet, if present, is higher than the interior of the wetland.* 

NO – go to 7

(E) – The wetland class is Depressional

7. Is the entire wetland unit located in a very flat area with no obvious depression and no overbank flooding? The unit does not pond surface water more than a few inches. The unit seems to be maintained by high groundwater in the area. The wetland may be ditched, but has no obvious natural outlet.

NO – go to 8

YES – The wetland class is Depressional

8. Your wetland unit seems to be difficult to classify and probably contains several different HGM classes. For example, seeps at the base of a slope may grade into a riverine floodplain, or a small stream within a Depressional wetland has a zone of flooding along its sides. GO BACK AND IDENTIFY WHICH OF THE HYDROLOGIC REGIMES DESCRIBED IN QUESTIONS 1-7 APPLY TO DIFFERENT AREAS IN THE UNIT (make a rough sketch to help you decide). Use the following table to identify the appropriate class to use for the rating system if you have several HGM classes present within the wetland unit being scored.

**NOTE**: Use this table only if the class that is recommended in the second column represents 10% or more of the total area of the wetland unit being rated. If the area of the HGM class listed in column 2 is less than 10% of the unit; classify the wetland using the class that represents more than 90% of the total area.

HGM classes within the wetland unit	HGM class to
being rated	use in rating
Slope + Riverine	Riverine
Slope + Depressional	Depressional
Slope + Lake Fringe	Lake Fringe
Depressional + Riverine along stream	Depressional
within boundary of depression	
Depressional + Lake Fringe	Depressional
Riverine + Lake Fringe	Riverine
Salt Water Tidal Fringe and any other	Treat as
class of freshwater wetland	ESTUARINE

If you are still unable to determine which of the above criteria apply to your wetland, or if you have **more than 2 HGM classes** within a wetland boundary, classify the wetland as Depressional for the rating.

DEPRESSIONAL AND FLATS WETLANDS Water Quality Functions - Indicators that the site functions to improve water quality	
D 1.0. Does the site have the potential to improve water quality?	
D 1.1. <u>Characteristics of surface water outflows from the wetland</u> : Wetland is a depression or flat depression (QUESTION 7 on key) with no surface water leaving it (no outlet). points = 3 Wetland has an intermittently flowing stream or ditch, OR highly constricted permanently flowing outlet. points = 2 Wetland has an unconstricted, or slightly constricted, surface outlet that is permanently flowing points = 1 Wetland is a flat depression (QUESTION 7 on key), whose outlet is a permanently flowing ditch. points = 1	1
D 1.2. The soil 2 in below the surface (or duff layer) is true clay or true organic (use NRCS definitions). Yes = 4 No = 0	0
D 1.3. Characteristics and distribution of persistent plants (Emergent, Scrub-shrub, and/or Forested Cowardin classes):         Wetland has persistent, ungrazed, plants > 95% of area       points = 5         Wetland has persistent, ungrazed, plants > ½ of area       points = 3         Wetland has persistent, ungrazed plants > <sup>1</sup> / <sub>10</sub> of area       points = 1         Wetland has persistent, ungrazed plants < <sup>1</sup> / <sub>10</sub> of area       points = 0	5
D 1.4. Characteristics of seasonal ponding or inundation:         This is the area that is ponded for at least 2 months. See description in manual.         Area seasonally ponded is > ½ total area of wetland         Area seasonally ponded is > ¼ total area of wetland         Area seasonally ponded is < ¼ total area of wetland	4
Total for D 1 Add the points in the boxes above	10
<b>Rating of Site Potential</b> If score is: <u>12-16 = H X 6-11 = M</u> <u>0-5 = L</u> Record the rating on the first p	age
D 2.0. Does the landscape have the potential to support the water quality function of the site?	
D 2.1. Does the wetland unit receive stormwater discharges? Yes = 1 No = 0	1
D 2.2. Is > 10% of the area within 150 ft of the wetland in land uses that generate pollutants? Yes = 1 No = 0	1
D 2.3. Are there septic systems within 250 ft of the wetland? Yes = 1 No = 0	1
D 2.4. Are there other sources of pollutants coming into the wetland that are not listed in questions D 2.1-D 2.3? Source Yes = 1 No = 0	0
Total for D 2Add the points in the boxes above	3
<b>Rating of Landscape Potential</b> If score is: X 3 or 4 = H 1 or 2 = M 0 = L Record the rating on the j	first page
D 3.0. Is the water quality improvement provided by the site valuable to society?	
D 3.1. Does the wetland discharge directly (i.e., within 1 mi) to a stream, river, lake, or marine water that is on the 303(d) list? Yes = 1 No = 0	0
D 3.2. Is the wetland in a basin or sub-basin where an aquatic resource is on the 303(d) list? Yes = 1 No = 0	0
D 3.3. Has the site been identified in a watershed or local plan as important for maintaining water quality ( <i>answer YES if there is a TMDL for the basin in which the unit is found</i> )? Yes = 2 No = 0	2
Total for D 3Add the points in the boxes above	2

 Rating of Value
 If score is: X
 2-4 = H
 I = M
 0 = L
 Record the rating on the first page

DEPRESSIONAL AND FLATS WETLANDS		
Hydrologic Functions - Indicators that the site functions to reduce flooding and s	stream degradat	ion
D 4.0. Does the site have the potential to reduce flooding and erosion?		
D 4.1. Characteristics of surface water outflows from the wetland:		1
Wetland is a depression or flat depression with no surface water leaving it (no outlet) Wetland has an intermittently flowing stream or ditch, OR highly constricted permanently flowin Wetland is a flat depression (QUESTION 7 on key), whose outlet is a permanently flowing ditch Wetland has an unconstricted, or slightly constricted, surface outlet that is permanently flowing	points = 4 ng outletpoints = 2 points = 1 points = 0	
D 4.2. Depth of storage during wet periods: Estimate the height of ponding above the bottom of the ou	tlet. For wetlands	3
with no outlet, measure from the surface of permanent water or if dry, the deepest part.		
Marks of ponding are 3 ft or more above the surface or bottom of outlet	points = 7	
Marks of ponding between 2 ft to < 3 ft from surface or bottom of outlet	points = 5	
Marks are at least 0.5 ft to < 2 ft from surface or bottom of outlet	points = 3	
The wetland is a "headwater" wetland	points = 3	
Wetland is flat but has small depressions on the surface that trap water	points = 1	
Marks of ponding less than 0.5 ft (6 in)	points = 0	
D 4.3. <u>Contribution of the wetland to storage in the watershed</u> : <i>Estimate the ratio of the area of upstre contributing surface water to the wetland to the area of the wetland unit itself.</i>	am basin	3
The area of the basin is less than 10 times the area of the unit	points = 5	
The area of the basin is 10 to 100 times the area of the unit	points = 3	
The area of the basin is more than 100 times the area of the unit	points = 0	
Entire wetland is in the Flats class	points = 5	
Total for D 4Add the points in the		7
Rating of Site Potential       If score is:       12-16 = H       X       6-11 = M       0-5 = L       Recipients	ord the rating on the	e first page
D 5.0. Does the landscape have the potential to support hydrologic functions of the site?		
D 5.1. Does the wetland receive stormwater discharges? Ye	es = 1 No = 0	1
D 5.2. Is >10% of the area within 150 ft of the wetland in land uses that generate excess runoff? Ye	s = 1 No = 0	1
D 5.3. Is more than 25% of the contributing basin of the wetland covered with intensive human land us >1 residence/ac, urban, commercial, agriculture, etc.)? Ye	es (residential at es = 1 No = 0	1
		3
Total for D 5       Add the points in the         Rating of Landscape Potential If score is: X 3 = H 1 or 2 = M 0 = L       Record	boxes above ord the rating on the	
	ora the rating on the	e jirst page
D 6.0. Are the hydrologic functions provided by the site valuable to society?		
D 6.1. <u>The unit is in a landscape that has flooding problems</u> . Choose the description that best matches of the wetland unit being rated. Do not add points. <u>Choose the highest score if more than one cond</u> The wetland captures surface water that would otherwise flow down-gradient into areas where damaged human or natural resources (e.g., houses or salmon redds):	lition is met.	2
<ul> <li>Flooding occurs in a sub-basin that is immediately down-gradient of unit.</li> </ul>	points = 2	
<ul> <li>Surface flooding problems are in a sub-basin farther down-gradient.</li> </ul>	points = 1	
Flooding from groundwater is an issue in the sub-basin.	points = 1	
The existing or potential outflow from the wetland is so constrained by human or natural conditi water stored by the wetland cannot reach areas that flood. <i>Explain why</i>	ons that the points = 0	
There are no problems with flooding downstream of the wetland.	points = 0	
D.6.2. Has the site been identified as important for flood starses or flood conveyance in a regional flood	d control plan?	0
D 6.2. Has the site been identified as important for flood storage or flood conveyance in a regional floor Ye	d control plan? es = 2 No = 0	U
Total for D 6 Add the points in the	boxes above	2
	ord the rating on the	first page

ABITAT FUNCTIONS - Indicators that site 1.0. Does the site have the potential to provi	•		
1.1. Structure of plant community: <i>Indicators are</i> Cowardin plant classes in the wetland. <i>Up to</i>	Cowardin classes and strate		1
of ¼ ac or more than 10% of the unit if it is sm	aller than 2.5 ac. Add the r	number of structures checked.	
Aquatic bed		4 structures or more: points = 4	
<u>X</u> Emergent		3 structures: points = 2	2
<u>X</u> Scrub-shrub (areas where shrubs have	> 30% cover)	2 structures: points = 1	
Forested (areas where trees have > 30%	cover)	1 structure: points = 0	
If the unit has a Forested class, check if:			
The Forested class has 3 out of 5 strata ( that each cover 20% within the Forester		s, herbaceous, moss/ground-cover)	
1.2. Hydroperiods			1
Check the types of water regimes (hydroperic more than 10% of the wetland or ¼ ac to cou		-	
Permanently flooded or inundated		4 or more types present: points = 3	
<u>X</u> Seasonally flooded or inundated		3 types present: points = 2	
Occasionally flooded or inundated		2 types present: points = 1	
Saturated only		1 type present: points = 0	
<u>X</u> Permanently flowing stream or river in,	=	d	
Seasonally flowing stream in, or adjacent	t to, the wetland		
Lake Fringe wetland		2 points	
Freshwater tidal wetland		2 points	
1.3. Richness of plant species			1
Count the number of plant species in the wet	land that cover at least 10	ft <sup>2</sup> .	
Different patches of the same species can be the species. <b>Do not include Eurasian milfoil</b> ,		-	
If you counted: > 19 species		points = 2	
5 - 19 species		points = 1	
< 5 species		points = 0	
1.4. Interspersion of habitats			1
Decide from the diagrams below whether int the classes and unvegetated areas (can inclue have four or more plant classes or three class	le open water or mudflats	is high, moderate, low, or none. If you	
<b>None</b> = 0 points <b>Low</b> = 1 p	oint	Moderate = 2 points	
I three diagrams this row	(AS)		

H 1.5. Special habitat features:	2
Check the habitat features that are present in the wetland. <i>The number of checks is the number of points.</i>	
Large, downed, woody debris within the wetland (> 4 in diameter and 6 ft long).	
Standing snags (dbh > 4 in) within the wetland	
X Undercut banks are present for at least 6.6 ft (2 m) <b>and/or</b> overhanging plants extends at least 3.3 ft (1 m) over a stream (or ditch) in, or contiguous with the wetland, for at least 33 ft (10 m)	
Stable steep banks of fine material that might be used by beaver or muskrat for denning (> 30 degree slope) OR signs of recent beaver activity are present (cut shrubs or trees that have not yet weathered where wood is exposed)	
X At least ¼ ac of thin-stemmed persistent plants or woody branches are present in areas that are	
permanently or seasonally inundated (structures for egg-laying by amphibians)	
Invasive plants cover less than 25% of the wetland area in every stratum of plants (see H 1.1 for list of strata)	
Fotal for H 1 Add the points in the boxes above	6
Rating of Site Potential If score is: 15-18 = H 7-14 = M X 0-6 = L Record the rating on a	the first pag
H 2.0. Does the landscape have the potential to support the habitat functions of the site?	
H 2.1. Accessible habitat (include only habitat that directly abuts wetland unit).	0
Calculate: % undisturbed habitat <u>2.1</u> + [(% moderate and low intensity land uses)/2] <u>0</u> = <u>2.1</u> %	
If total accessible habitat is:	
> <sup>1</sup> / <sub>3</sub> (33.3%) of 1 km Polygon points = 3	
20-33% of 1 km Polygon points = 2	
10-19% of 1 km Polygon points = 1	
10-19% of 1 km Polygon       points = 1         < 10% of 1 km Polygon	
< 10% of 1 km Polygon points = 0	1
< 10% of 1 km Polygon points = 0	1
< 10% of 1 km Polygon points = 0 H 2.2. Undisturbed habitat in 1 km Polygon around the wetland.	1
< 10% of 1 km Polygon points = 0 H 2.2. Undisturbed habitat in 1 km Polygon around the wetland. <i>Calculate:</i> % undisturbed habitat 31.5 + [(% moderate and low intensity land uses)/2] 13.1 = 44.6%	1
< 10% of 1 km Polygon points = 0 H 2.2. Undisturbed habitat in 1 km Polygon around the wetland. <i>Calculate:</i> % undisturbed habitat 31.5 + [(% moderate and low intensity land uses)/2] 13.1 = 44.6% Undisturbed habitat > 50% of Polygon points = 3	1
< 10% of 1 km Polygonpoints = 0H 2.2. Undisturbed habitat in 1 km Polygon around the wetland.Calculate:% undisturbed habitat 31.5+ [(% moderate and low intensity land uses)/2] 13.1=44.6%Undisturbed habitat > 50% of Polygonpoints = 3Undisturbed habitat 10-50% and in 1-3 patchespoints = 2	1
< 10% of 1 km Polygonpoints = 0H 2.2. Undisturbed habitat in 1 km Polygon around the wetland.Calculate:% undisturbed habitat 31.5+ [(% moderate and low intensity land uses)/2] 13.1=44.6%Undisturbed habitat > 50% of Polygonpoints = 3Undisturbed habitat 10-50% and in 1-3 patchespoints = 2Undisturbed habitat 10-50% and > 3 patchespoints = 1Undisturbed habitat < 10% of 1 km Polygon	0
< 10% of 1 km Polygonpoints = 0H 2.2. Undisturbed habitat in 1 km Polygon around the wetland.Calculate:% undisturbed habitat 31.5+ [(% moderate and low intensity land uses)/2] 13.1=44.6%Undisturbed habitat > 50% of Polygonpoints = 3Undisturbed habitat 10-50% and in 1-3 patchespoints = 2Undisturbed habitat 10-50% and > 3 patchespoints = 1Undisturbed habitat < 10% of 1 km Polygon	_
< 10% of 1 km Polygonpoints = 0H 2.2. Undisturbed habitat in 1 km Polygon around the wetland.Calculate:% undisturbed habitat 31.5+ [(% moderate and low intensity land uses)/2] 13.1=44.6%Undisturbed habitat > 50% of Polygonpoints = 3Undisturbed habitat 10-50% and in 1-3 patchespoints = 2Undisturbed habitat 10-50% and > 3 patchespoints = 1Undisturbed habitat < 10% of 1 km Polygon	_
<pre>&lt; 10% of 1 km Polygon points = 0 H 2.2. Undisturbed habitat in 1 km Polygon around the wetland. Calculate: % undisturbed habitat 31.5 + [(% moderate and low intensity land uses)/2] 13.1 = 44.6% Undisturbed habitat &gt; 50% of Polygon points = 3 Undisturbed habitat 10-50% and in 1-3 patches points = 2 Undisturbed habitat 10-50% and &gt; 3 patches points = 1 Undisturbed habitat &lt; 10% of 1 km Polygon points = 0 H 2.3. Land use intensity in 1 km Polygon: If &gt; 50% of 1 km Polygon is high intensity land use points = (-2)</pre>	_

H 3.1. Does the site provide habitat for species valued in laws, regulations, or policies? *Choose only the highest score that applies to the wetland being rated.* 

Site meets ANY of the following criteria:

- It has 3 or more priority habitats within 100 m (see next page)
- It provides habitat for Threatened or Endangered species (any plant or animal on the state or federal lists)
- It is mapped as a location for an individual WDFW priority species
- It is a Wetland of High Conservation Value as determined by the Department of Natural Resources

— It has been categorized as an important habitat site in a local or regional comprehensive plan, in a

- Shoreline Master Plan, or in a watershed plan
- Site has 1 or 2 priority habitats (listed on next page) within 100 m

Site does not meet any of the criteria above

Rating of Value If score is: 2 = H X 1 = M 0 = L

points = 2

points = 1 points = 0

Record the rating on the first page

### **WDFW Priority Habitats**

<u>Priority habitats listed by WDFW</u> (see complete descriptions of WDFW priority habitats, and the counties in which they can be found, in: Washington Department of Fish and Wildlife. 2008. Priority Habitat and Species List. Olympia, Washington. 177 pp. <u>http://wdfw.wa.gov/publications/00165/wdfw00165.pdf</u> or access the list from here: <u>http://wdfw.wa.gov/conservation/phs/list/</u>)

Count how many of the following priority habitats are within 330 ft (100 m) of the wetland unit: **NOTE:** This question is independent of the land use between the wetland unit and the priority habitat.

- Aspen Stands: Pure or mixed stands of aspen greater than 1 ac (0.4 ha).
- **Biodiversity Areas and Corridors**: Areas of habitat that are relatively important to various species of native fish and wildlife (*full descriptions in WDFW PHS report*).
- Herbaceous Balds: Variable size patches of grass and forbs on shallow soils over bedrock.
- Old-growth/Mature forests: <u>Old-growth west of Cascade crest</u> Stands of at least 2 tree species, forming a multi-layered canopy with occasional small openings; with at least 8 trees/ac (20 trees/ha) > 32 in (81 cm) dbh or > 200 years of age. <u>Mature forests</u> Stands with average diameters exceeding 21 in (53 cm) dbh; crown cover may be less than 100%; decay, decadence, numbers of snags, and quantity of large downed material is generally less than that found in old-growth; 80-200 years old west of the Cascade crest.
- Oregon White Oak: Woodland stands of pure oak or oak/conifer associations where canopy coverage of the oak component is important (*full descriptions in WDFW PHS report p. 158 see web link above*).
- **Riparian**: The area adjacent to aquatic systems with flowing water that contains elements of both aquatic and terrestrial ecosystems which mutually influence each other.
- Westside Prairies: Herbaceous, non-forested plant communities that can either take the form of a dry prairie or a wet prairie (*full descriptions in WDFW PHS report p. 161 see web link above*).
- Nearshore: Relatively undisturbed nearshore habitats. These include Coastal Nearshore, Open Coast Nearshore, and Puget Sound Nearshore. (*full descriptions of habitats and the definition of relatively undisturbed are in WDFW report – see web link on previous page*).
- **Caves:** A naturally occurring cavity, recess, void, or system of interconnected passages under the earth in soils, rock, ice, or other geological formations and is large enough to contain a human.
- **Cliffs:** Greater than 25 ft (7.6 m) high and occurring below 5000 ft elevation.
- Talus: Homogenous areas of rock rubble ranging in average size 0.5 6.5 ft (0.15 2.0 m), composed of basalt, andesite, and/or sedimentary rock, including riprap slides and mine tailings. May be associated with cliffs.
- Snags and Logs: Trees are considered snags if they are dead or dying and exhibit sufficient decay characteristics to enable cavity excavation/use by wildlife. Priority snags have a diameter at breast height of > 20 in (51 cm) in western Washington and are > 6.5 ft (2 m) in height. Priority logs are > 12 in (30 cm) in diameter at the largest end, and > 20 ft (6 m) long.

**Note:** All vegetated wetlands are by definition a priority habitat but are not included in this list because they are addressed elsewhere.

#### **CATEGORIZATION BASED ON SPECIAL CHARACTERISTICS**

Wetland Type	Category
Check off any criteria that apply to the wetland. Circle the category when the appropriate criteria are met.	
SC 1.0. Estuarine wetlands Does the wetland meet the following criteria for Estuarine wetlands? — The dominant water regime is tidal, — Vegetated, and	
— With a salinity greater than 0.5 ppt Yes –Go to SC 1.1 No= Not an estuarine wetland	
SC 1.1. Is the wetland within a National Wildlife Refuge, National Park, National Estuary Reserve, Natural Area Preserve, State Park or Educational, Environmental, or Scientific Reserve designated under WAC 332-30-151? Yes = <b>Category I</b> No - Go to <b>SC 1.2</b>	Cat. I
<ul> <li>SC 1.2. Is the wetland unit at least 1 ac in size and meets at least two of the following three conditions?</li> <li>— The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing, and has less than 10% cover of non-native plant species. (If non-native species are <i>Spartina</i>, see page 25)</li> <li>— At least ¾ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-merupad encedered.</li> </ul>	Cat. I
mowed grassland. — The wetland has at least two of the following features: tidal channels, depressions with open water, or contiguous freshwater wetlands. Yes = <b>Category I</b> No = <b>Category II</b>	Cat. II
SC 2.0. Wetlands of High Conservation Value (WHCV)         SC 2.1. Has the WA Department of Natural Resources updated their website to include the list of Wetlands of High Conservation Value?         Yes – Go to SC 2.2         SC 2.2. Is the wetland listed on the WDNR database as a Wetland of High Conservation Value?         Yes = Category I    No = Not a WHCV	Cat. I
SC 2.3. Is the wetland in a Section/Township/Range that contains a Natural Heritage wetland? <u>http://www1.dnr.wa.gov/nhp/refdesk/datasearch/wnhpwetlands.pdf</u> Yes – Contact WNHP/WDNR and go to SC 2.4	
SC 2.4. Has WDNR identified the wetland within the S/T/R as a Wetland of High Conservation Value and listed it on their website? Yes = Category I No = Not a WHCV	
SC 3.0. Bogs Does the wetland (or any part of the unit) meet both the criteria for soils and vegetation in bogs? Use the key below. If you answer YES you will still need to rate the wetland based on its functions.	
SC 3.1. Does an area within the wetland unit have organic soil horizons, either peats or mucks, that compose 16 in or more of the first 32 in of the soil profile? Yes – Go to SC 3.3 NO – Go to SC 3.2 SC 3.2. Does an area within the wetland unit have organic soils, either peats or mucks, that are less than 16 in deep	
over bedrock, or an impermeable hardpan such as clay or volcanic ash, or that are floating on top of a lake or pond? Yes – Go to SC 3.3 (N) = Is not a bog	
SC 3.3. Does an area with peats or mucks have more than 70% cover of mosses at ground level, AND at least a 30% cover of plant species listed in Table 4?Yes = Is a Category I bogNo - Go to SC 3.4NOTE: If you are uncertain about the extent of mosses in the understory, you may substitute that criterion by	
measuring the pH of the water that seeps into a hole dug at least 16 in deep. If the pH is less than 5.0 and the plant species in Table 4 are present, the wetland is a bog. SC 3.4. Is an area with peats or mucks forested (> 30% cover) with Sitka spruce, subalpine fir, western red cedar,	Cat. I
western hemlock, lodgepole pine, quaking aspen, Engelmann spruce, or western white pine, AND any of the species (or combination of species) listed in Table 4 provide more than 30% of the cover under the canopy? Yes = Is a Category I bog No = Is not a bog	

SC 4.0. Forested Wetlands	
Does the wetland have at least <u>1 contiguous acre</u> of forest that meets one of these criteria for the WA	
Department of Fish and Wildlife's forests as priority habitats? If you answer YES you will still need to rate	
the wetland based on its functions.	
— Old-growth forests (west of Cascade crest): Stands of at least two tree species, forming a multi-layered	
canopy with occasional small openings; with at least 8 trees/ac (20 trees/ha) that are at least 200 years of	
age OR have a diameter at breast height (dbh) of 32 in (81 cm) or more.	
— Mature forests (west of the Cascade Crest): Stands where the largest trees are 80-200 years old OR the	
species that make up the canopy have an average diameter (dbh) exceeding 21 in (53 cm).	
Yes = Category I Not a forested wetland for this section	Cat. I
SC 5.0. Wetlands in Coastal Lagoons	
Does the wetland meet all of the following criteria of a wetland in a coastal lagoon?	
— The wetland lies in a depression adjacent to marine waters that is wholly or partially separated from	
marine waters by sandbanks, gravel banks, shingle, or, less frequently, rocks	
— The lagoon in which the wetland is located contains ponded water that is saline or brackish (> 0.5 ppt)	Cat
during most of the year in at least a portion of the lagoon (needs to be measured near the bottom)	Cat. I
Yes – Go to <b>SC 5.1 Not a wetland in a coastal lagoon</b> SC 5.1. Does the wetland meet all of the following three conditions?	
— The wetland is relatively undisturbed (has no diking, ditching, filling, cultivation, grazing), and has less	
than 20% cover of aggressive, opportunistic plant species (see list of species on p. 100).	Cat. II
- At least ¾ of the landward edge of the wetland has a 100 ft buffer of shrub, forest, or un-grazed or un-	
mowed grassland.	
— The wetland is larger than $1/_{10}$ ac (4350 ft <sup>2</sup> )	
Yes = Category I No = Category II	
SC 6.0. Interdunal Wetlands	<u>.</u>
Is the wetland west of the 1889 line (also called the Western Boundary of Upland Ownership or WBUO)? If	
you answer yes you will still need to rate the wetland based on its habitat functions.	
In practical terms that means the following geographic areas:	
<ul> <li>Long Beach Peninsula: Lands west of SR 103</li> </ul>	
<ul> <li>— Grayland-Westport: Lands west of SR 105</li> </ul>	Cat I
— Ocean Shores-Copalis: Lands west of SR 115 and SR 109 Yes – Go to SC 6.1 No = not an interdunal wetland for rating	
Tes – Go to SC 6.1 Wy – not an interdunal wetland for rating	
SC 6.1. Is the wetland 1 ac or larger and scores an 8 or 9 for the habitat functions on the form (rates H,H,H or H,H,M	Cat. II
for the three aspects of function)? Yes = <b>Category I</b> No – Go to <b>SC 6.2</b>	
SC 6.2. Is the wetland 1 ac or larger, or is it in a mosaic of wetlands that is 1 ac or larger?	
Yes = <b>Category II</b> No – Go to <b>SC 6.3</b>	Cat. III
SC 6.3. Is the unit between 0.1 and 1 ac, or is it in a mosaic of wetlands that is between 0.1 and 1 ac?	
Yes = Category III No = Category IV	Cat N/
	Cat. IV
Category of wetland based on Special Characteristics	Not
If you answered No for all types, enter "Not Applicable" on Summary Form	Applicable

<sup>I</sup>Wetland name or number <u>I</u>

This page left blank intentionally

APPENDIX C

	Temperature								
Date	Maximum	Minimum	Average	Departure	HDD	CDD	Precipitation	New Snow	Snow Depth
2017-12-01	39	38	38.5	М	26	0	0.20	0.0	0
2017-12-02	46	36	41.0	М	24	0	0.20	0.0	0
2017-12-03	42	40	41.0	М	24	0	0.79	0.0	0
2017-12-04	45	32	38.5	М	26	0	0.00	0.0	0
2017-12-05	42	32	37.0	М	28	0	0.00	0.0	0
2017-12-06	38	30	34.0	М	31	0	0.00	0.0	0
2017-12-07	35	28	31.5	М	33	0	0.00	0.0	0
2017-12-08	35	28	31.5	М	33	0	0.00	0.0	0
2017-12-09	38	28	33.0	М	32	0	0.00	0.0	0
2017-12-10	42	28	35.0	М	30	0	0.00	0.0	0
2017-12-11	43	26	34.5	М	30	0	0.00	0.0	0
2017-12-12	43	26	34.5	М	30	0	0.00	0.0	0
2017-12-13	41	28	34.5	М	30	0	0.00	0.0	0
2017-12-14	45	29	37.0	М	28	0	0.00	0.0	0
2017-12-15	40	30	35.0	М	30	0	0.10	0.0	0
2017-12-16	40	34	37.0	М	28	0	0.00	0.0	0
2017-12-17	45	37	41.0	М	24	0	0.12	0.0	М
2017-12-18	47	40	43.5	М	21	0	0.02	0.0	0
2017-12-19	48	42	45.0	М	20	0	1.01	0.0	0
2017-12-20	49	36	42.5	М	22	0	1.00	0.0	0
2017-12-21	44	28	36.0	М	29	0	0.00	0.0	0
2017-12-22	42	28	35.0	М	30	0	0.40	0.0	0
2017-12-23	36	32	34.0	М	31	0	0.80	0.0	0
2017-12-24	41	31	36.0	М	29	0	0.00	0.0	0
2017-12-25	34	30	32.0	М	33	0	0.12	1.0	1
2017-12-26	34	31	32.5	М	32	0	0.31	0.0	Т
2017-12-27	32	31	31.5	М	33	0	0.00	0.0	0
2017-12-28	36	32	34.0	М	31	0	0.30	0.0	0
2017-12-29	42	36	39.0	М	26	0	1.95	0.0	0
2017-12-30	54	40	47.0	М	18	0	0.53	0.0	0
2017-12-31	50	30	40.0	М	25	0	0.55	0.0	0
Sum	1288	997	-	-	867	0	8.40	1.0	-
Average	41.5	32.2	36.9	М	-	-	-	-	0.0
Normal	М	М	М	-	М	М	7.47	0.7	-

Max Temperature : 8am
Min Temperature : 8am
Precipitation : 8am
Snowfall : unknown
Snow Depth : unknown

Climatological Data for MAYFIELD POWER PLANT, WA - January 2018 Temperature									
Date	Maximum	Minimum	Average	Departure	HDD	CDD	Precipitation	New Snow	Snow Depth
2018-01-01	35	28	31.5	M	33	0	0.00	0.0	0
2018-01-02	33	30	31.5	М	33	0	0.00	0.0	0
2018-01-03	37	29	33.0	М	32	0	0.00	0.0	0
2018-01-04	43	31	37.0	М	28	0	0.00	0.0	0
2018-01-05	44	35	39.5	М	25	0	0.40	0.0	0
2018-01-06	50	42	46.0	М	19	0	0.40	0.0	0
2018-01-07	46	40	43.0	М	22	0	0.05	0.0	0
2018-01-08	43	40	41.5	М	23	0	0.81	0.0	0
2018-01-09	45	36	40.5	М	24	0	0.54	0.0	0
2018-01-10	45	38	41.5	М	23	0	0.17	0.0	0
2018-01-11	41	37	39.0	М	26	0	0.32	0.0	0
2018-01-12	50	40	45.0	М	20	0	0.80	0.0	0
2018-01-13	50	44	47.0	М	18	0	0.60	0.0	0
2018-01-14	58	40	49.0	М	16	0	0.07	0.0	0
2018-01-15	47	39	43.0	М	22	0	0.00	0.0	0
2018-01-16	62	39	50.5	М	14	0	0.27	0.0	0
2018-01-17	54	42	48.0	М	17	0	0.05	0.0	0
2018-01-18	52	42	47.0	М	18	0	0.62	0.0	0
2018-01-19	44	38	41.0	М	24	0	0.30	0.0	0
2018-01-20	44	38	41.0	М	24	0	0.20	0.0	0
2018-01-21	47	38	42.5	М	22	0	0.08	0.0	0
2018-01-22	48	37	42.5	М	22	0	0.45	0.0	0
2018-01-23	46	37	41.5	М	23	0	0.06	0.0	0
2018-01-24	49	39	44.0	М	21	0	0.77	0.0	0
2018-01-25	55	34	44.5	М	20	0	0.59	0.0	0
2018-01-26	40	34	37.0	М	28	0	0.70	0.0	0
2018-01-27	40	34	37.0	М	28	0	0.70	0.0	0
2018-01-28	47	38	42.5	М	22	0	0.11	0.0	0
2018-01-29	52	43	47.5	М	17	0	0.06	0.0	0
2018-01-30	50	38	44.0	М	21	0	1.29	0.0	0
2018-01-31	48	34	41.0	М	24	0	0.06	0.0	0
Sum	1445	1154	-	-	709	0	10.47	0.0	-
Average	46.6	37.2	41.9	М	-	-	-	-	0.0
Normal	М	М	М	-	М	М	7.60	0.1	-

Max Temperature : 6am
Min Temperature : 6am
Precipitation : 6am
Snowfall : 6am
Snow Depth : 6am

Temperature									
Date	Maximum	Minimum	Average	Departure	HDD	CDD	Precipitation	New Snow	Snow Depth
2017-12-01	47	37	42.0	2.2	23	0	0.28	0.0	0
2017-12-02	45	34	39.5	-0.1	25	0	0.54	0.0	0
2017-12-03	46	31	38.5	-1.0	26	0	0.02	0.0	0
2017-12-04	43	31	37.0	-2.3	28	0	0.00	0.0	0
2017-12-05	45	28	36.5	-2.6	28	0	0.00	0.0	0
2017-12-06	51	27	39.0	0.1	26	0	0.00	0.0	0
2017-12-07	38	26	32.0	-6.8	33	0	0.00	0.0	0
2017-12-08	42	23	32.5	-6.2	32	0	0.00	0.0	0
2017-12-09	46	24	35.0	-3.5	30	0	0.00	0.0	0
2017-12-10	47	24	35.5	-2.9	29	0	0.00	0.0	0
2017-12-11	50	20	35.0	-3.3	30	0	0.00	0.0	0
2017-12-12	46	28	37.0	-1.2	28	0	0.00	0.0	0
2017-12-13	50	26	38.0	-0.1	27	0	0.00	0.0	0
2017-12-14	40	27	33.5	-4.6	31	0	0.00	0.0	0
2017-12-15	43	33	38.0	0.0	27	0	0.01	0.0	0
2017-12-16	45	31	38.0	0.0	27	0	0.07	0.0	0
2017-12-17	47	42	44.5	6.6	20	0	0.24	0.0	0
2017-12-18	48	42	45.0	7.1	20	0	0.72	0.0	0
2017-12-19	50	37	43.5	5.6	21	0	1.82	0.0	0
2017-12-20	45	24	34.5	-3.4	30	0	0.01	0.0	0
2017-12-21	40	22	31.0	-6.9	34	0	Т	0.0	0
2017-12-22	37	34	35.5	-2.4	29	0	0.23	М	0
2017-12-23	40	23	31.5	-6.5	33	0	0.00	0.0	0
2017-12-24	34	24	29.0	-9.0	36	0	0.19	М	М
2017-12-25	35	30	32.5	-5.5	32	0	0.08	М	М
2017-12-26	33	27	30.0	-8.1	35	0	0.00	0.0	М
2017-12-27	39	29	34.0	-4.2	31	0	0.00	0.0	0
2017-12-28	47	38	42.5	4.3	22	0	1.15	0.0	0
2017-12-29	54	44	49.0	10.7	16	0	1.49	0.0	0
2017-12-30	49	34	41.5	3.1	23	0	0.05	0.0	0
2017-12-31	43	31	37.0	-1.5	28	0	0.00	0.0	0
Sum	1365	931	-	-	860	0	6.90	0.0	-
Average	44.0	30.0	37.0	-1.4	-	-	-	-	0.0
Normal	44.2	32.6	38.4	-	825	0	7.46	2.6	-

Max Temperature : midnight
Min Temperature : midnight
Precipitation : midnight
Snowfall : midnight
Snow Depth : 4am

Climatological Data for Olympia Area, WA (ThreadEx) - January 2018 Temperature									
Date	Maximum	HDD CDD Precipita	Precipitation	New Snow	Snow Depth				
2018-01-01	43	25	34.0	-4.6	31	0	0.00	0.0	0
2018-01-02	40	24	32.0	-6.7	33	0	Т	0.0	0
2018-01-03	43	27	35.0	-3.8	30	0	0.00	0.0	0
2018-01-04	45	33	39.0	0.1	26	0	0.32	0.0	0
2018-01-05	50	41	45.5	6.5	19	0	0.40	0.0	0
2018-01-06	48	38	43.0	3.9	22	0	0.03	0.0	0
2018-01-07	45	38	41.5	2.3	23	0	0.52	0.0	0
2018-01-08	47	39	43.0	3.7	22	0	0.11	0.0	0
2018-01-09	48	37	42.5	3.1	22	0	0.07	0.0	0
2018-01-10	45	37	41.0	1.5	24	0	0.31	0.0	0
2018-01-11	52	42	47.0	7.4	18	0	1.89	0.0	0
2018-01-12	51	48	49.5	9.8	15	0	0.13	0.0	0
2018-01-13	55	47	51.0	11.3	14	0	0.09	0.0	0
2018-01-14	53	38	45.5	5.7	19	0	0.00	0.0	0
2018-01-15	53	34	43.5	3.6	21	0	0.03	0.0	0
2018-01-16	55	37	46.0	6.0	19	0	0.03	0.0	0
2018-01-17	51	37	44.0	4.0	21	0	0.28	0.0	0
2018-01-18	51	39	45.0	4.9	20	0	0.42	0.0	0
2018-01-19	46	41	43.5	3.3	21	0	0.10	0.0	0
2018-01-20	47	36	41.5	1.3	23	0	0.14	0.0	0
2018-01-21	48	36	42.0	1.7	23	0	0.28	0.0	0
2018-01-22	46	33	39.5	-0.8	25	0	0.47	0.0	0
2018-01-23	49	34	41.5	1.2	23	0	1.30	0.0	0
2018-01-24	49	38	43.5	3.1	21	0	0.31	0.0	0
2018-01-25	44	37	40.5	0.1	24	0	0.46	0.0	0
2018-01-26	42	35	38.5	-1.9	26	0	0.84	0.0	0
2018-01-27	48	40	44.0	3.6	21	0	0.22	0.0	0
2018-01-28	55	43	49.0	8.6	16	0	0.17	0.0	0
2018-01-29	54	42	48.0	7.5	17	0	0.74	0.0	0
2018-01-30	47	33	40.0	-0.5	25	0	0.15	0.0	0
2018-01-31	46	35	40.5	0.0	24	0	0.06	0.0	0
Sum	1496	1144	-	-	688	0	9.87	0.0	-
Average	48.3	36.9	42.6	2.8	-	-	-	-	0.0
Normal	45.9	33.7	39.8	-	781	0	7.84	1.9	-

Max Temperature : midnight
Min Temperature : midnight
Precipitation : midnight
Snowfall : midnight
Snow Depth : 4am