


SEPA LEGEND

- LIMIT OF WORK
- NEW FENCELINE
- EXISTING FENCELINE TO REMAIN
- EXISTING LIGHT POLE
- SYNTHETIC TURF - BROWN
- SYNTHETIC TURF - GREEN
- EXISTING ASPHALT PAVING
- RESTORATIVE SEEDING



GENERAL NOTES

1. TOTAL SQUARE FOOTAGE OF AREA TO BE DISTURBED WITHIN EXISTING FENCE: 119,913 SF
2. TOTAL SQUARE FOOTAGE OF NEW TURF: 117,700 SF
3. TOTAL YARDS OF MATERIAL EXPORT: 2,880 CY
4. TOTAL TONNAGE OF MATERIAL IMPORT: 4,030 TONS FIELD AGGREGATE
5. TOTAL CONCRETE BROUGHT IN: 50 CY
6. EXISTING FIELD LIGHTING TO REMAIN WITH NEW LED FIXTURES.
7. EXISTING FIELD DRAINAGE TO REMAIN IN PLACE.
8. NEW FENCING SHALL BE INSTALLED ALONG SIDELINES.
9. ALL EXISTING STADIUM AND BLEACHERS SHALL BE PROTECTED AND REMAIN.
10. EXISTING USE TO REMAIN AND SHALL STAY AS CURRENTLY UTILIZED.
11. CONSTRUCTION SITE WORK SHALL BE DURING AUTHORIZED WORK HOURS PER THE CITY.




- NOTES:
1. GEOTEXTILE PRIMARY BACKING OF SYNTHETIC TURF KEEPS INFILL WITHIN FIBERS AND OUT OF BASE AND FIELD DRAINAGE SYSTEM

1 SEPA FIELD SECTION
N.T.S.



PRELIMINARY - FOR REVIEW



VICINITY MAP (NTS)

SITE DATA


ADDRESS	342 SW 16TH ST
TPN	005871031001
PARCEL SIZE	20.47 AC (3.75 FIELD)
JURISDICTION	CITY OF CHEHALIS
ZONING	EPF (S)

REV.	DATE	COMMENT	BY

DRAWN BY: L SATER
 CHECKED BY: B JOHNSON

SEA:

PRELIMINARY




For the community. For the future.

WF WEST BASEBALL FIELD IMPROVEMENTS

SHEET TITLE: STORM DRAINAGE PLAN

SHEET NO: SD-01

- STORM LEGEND**
- SD---SD--- EXISTING STORM DRAIN PIPE TO BE REMOVED
 - - - - -SD- - - - - EXISTING STORM DRAIN PIPE TO REMAIN
 - SD— 6" DIA. PVC PERF PIPE
 - - - - -SD- - - - - 4" DIA. PVC UNDERDRAIN PERF PIPE



C:\11_2022_03\14\474 - User\jsacivil\PROJECTS\127 CHEHALIS FOUNDATION\127.002 WF WEST BASEBALL FIELD\ACAD\127.002 SD-01.DWG

CALL BEFORE YOU DIG

THE CONTRACTOR SHALL BE FULLY RESPONSIBLE FOR THE LOCATION AND PROTECTION OF ALL EXISTING UTILITIES. THE CONTRACTOR SHALL VERIFY ALL UTILITY LOCATIONS PRIOR TO CONSTRUCTION BY CALLING THE UNDERGROUND LOCATE LINE AT 811 A MINIMUM OF 48 HOURS PRIOR TO ANY EXCAVATION.